SIEMENS

Data sheet


3NE3337-8



SITOR fuse link, with slotted blade contacts, NH2, In: 710 A, aR, Un AC: 900 V, front indicator

Model					
product brand name	SENTRON				
product designation	SITOR fuse link				
design of the product	With slotted blade contacts				
design of an identification indicator	front indicator				
design of the switching contact	with slotted blade contacts for M10 screw fixing. mountin or for installation in LV HRC fuse bases or switch discont				
design of the fuse link	SITOR, LV HRC design				
General technical data					
size of fuse system according to EN 60269-1	NH2				
operating class of the fuse link	aR				
varying load factor (WL)	1				
type of voltage of the operating voltage	AC				
operating voltage at AC according to UL rated value	900 V				
Supply voltage					
supply voltage					
 at AC rated value 	900 V				
Switching capacity					
switching capacity current					
 according to IEC 60947-2 rated value 	100 kA				
Dissipation					
power loss [W]	105 W				
power loss [W]					
 for rated value of the current at AC in hot operating state per pole 	105 W				
• maximum	105 W				
Product details					
product description	with blade contacts, silver-plated				
accessories included	no				
Mechanical Design					
mounting position	Any, preferably vertical				
net weight	801 g				
Environmental conditions					
ambient temperature during operation					
• minimum	-20 °C				
• maximum	50 °C				
environmental category	-20 to +50 at 95% relative humidity				
General Product Approval		Declaration of Con- formity			

		<u>Confirmation</u>	GALS UR	EAC	UK CA	
Declaration of Con- formity	Test Certificates	other			Environment	
C C EG-Konf.	Special Test Certific- ate	<u>Miscellaneous</u>	Confirmation	Miscellaneous	Environmental Con- firmations	
Further information Siemens has decided to exit the Russian market (see here). https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business Siemens is working on the renewal of the current EAC certificates. Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus). Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/cs/ww/en/xisNtE3337-8 Service&Support (Manuals, Certificates, Characteristics, FAQs,) http://www.siemens.com/cs/ww/en/ps/SNtE3337-8 CarceAconline-Generator http://www.siemens.com/cs/ww/en/ps/SNtE3337-8 CAx-Online-Generator http://www.siemens.com/biddb/cax_en.aspx?mlfb=3NE3337-8 CAx-Online-Generator http://www.siemens.com/biddb/cax_en.aspx?mlfb=3NE3337-8 CAx-Online-Generator http://www.siemens.com/cax Tender specifications						



last modified:

8/12/2023 🖸

10/28/2023

Subject to change without notice © Copyright Siemens